

# Wheels Are All Around

## A Slide Show

Photographs by Durango Mendoza, Russell Smith, William Durango Lafontaine,  
Scarlett Mendoza, Ava Mendoza, and Lola Mendoza















TRUI


YARDWORKS

Steel 5 Cu. Ft. Wheelbarrow  
Single Pneumatic Wheel with Wood Handles



5 CUBIC FOOT WHEELBARROW  
37<sup>99</sup>  
Save \$10 Money!

Steel 4 Cu. Ft. Wheelbarrow  
Single Pneumatic Wheel with Wood Handles



4 CUBIC FOOT WHEELBARROW  
33<sup>99</sup>  
Save \$10 Money!

Parts box for wheelbarrow  
Caja complemento para carretilla





























  
INTERNATIONAL  
HARVESTER


**10 BALE THROWER**

READ INSTRUCTIONS ON HOW TO  
USE THE FOLLOWING UNIT  
PROPERLY TO AVOID  
DANGER TO LIFE



















CAUTION: ALWAYS WEAR EYE PROTECTION AND PROTECTIVE GLOVES. DO NOT OPERATE THE GRINDER WITH THE GUARD REMOVED. ALWAYS USE THE APPROPRIATE WHEEL FOR THE MATERIAL BEING GRINDED.

**PERFORMA**  
241-1000  
8" Bench Grinder  
120V-60Hz, 3.0A, 1/2HP, 180° Motor

**WARNING:** For your own safety, read instruction manual before operating product. Use the appropriate safety eye gear and use properly. Always be careful of sparks. Risk of injury due to accidental cutting. Do not work on live wires unless you are qualified. Do not operate in wet or damp locations. Made in China.  
Customer Service: 1-800-524-2544

**WARNING**

**PERFORMA**  
OPERATING INSTRUCTIONS  
Bench Grinder  
241

Orificio para flecha  
de 1" con bridas  
adaptadoras de 1/2"

## Spiral Sewn Buffing Wheel

Rueda de manta con costura en espiral



- For coarse buffing and cutting on all metals
- Para pulido burdo y corte en todo tipo de metales



TO  
SH

3"

Cara ancha  
Eje de 5/8"  
(16mm)

- General purpose rust and paint removal
- Para eliminar el óxido y la pintura en general

## Crimped Wire Wheel

Cepillo de rueda con alambre rizado



8"  
(203mm)

WideFace  
1" x 3/4" x 5/8"  
Arbor

Cara ancha  
Eje de 1" x 3/4" x 5/8"  
(25,4 x 22,2 x 15mm)

- General purpose grinding, finishing and sharpening
- Superficial y afiladora de pulido general







39.99

28.49

39.99

Suncoast  
**HOSEMOBILE**  
175 / 55  
feet / metros  
MADE IN THE USA













**Convertible**  
**CONVERTIBLE**  
**HAND TRUCK**  
CONVERTIBLE - CHARIOT À BRAS TRANSFORMABLE

**PNEUMATIC TIRES**  
**CUSHION HEAVY LOADS**  
**OVER ROUGH TERRAIN**  
SUR ROUES PNEUMATIQUES AMORTISSABLES  
LES CHARGES PESANTES EN SUPERFICIES IRREGULIÈRES  
LE HANDLING PNEUMATIQUE DES PNEUS AMORTIT LES  
CHARGES LOURDES SUR LES TERRAINS ACCIDENTÉS

**Convertible**  
**CONVERTIBLE**  
**HAND TRUCK**  
CONVERTIBLE - CHARIOT À BRAS TRANSFORMABLE

**PNEUMATIC TIRES**  
**CUSHION HEAVY LOADS**  
**OVER ROUGH TERRAIN**  
SUR ROUES PNEUMATIQUES AMORTISSABLES  
LES CHARGES PESANTES EN SUPERFICIES IRREGULIÈRES  
LE HANDLING PNEUMATIQUE DES PNEUS AMORTIT LES  
CHARGES LOURDES SUR LES TERRAINS ACCIDENTÉS

49.99











2TC- 94253



CUBIC FEET  
TEMPERATURE  
COMPENSATED  
60°F BASE



1,000,000 PER REV.



10,000 PER REV.



1,000 PER REV.


015544






















Traveler  
Traveler, or tire measuring  
heel, is run around the  
wooden rim of a wheel, and  
then around the inside of an  
iron tire to determine how  
much a tire needs to be  
runk before it is set  
true.







When Satorius took his grain to a mill he had massive quantities of grain to be turned into a fine dust-meal or flour. This flour mill works on the same principle. Grinding the crank turns plates against one another mashing the grain within.





















